


REDWING®

DRIVEN BY SUPERIOR STRENGTH, QUALITY AND VALUE
INNER TUBES PRODUCT GUIDE



Place your order on **01243 558959** | or email sales@redstoneuk.com | visit www.redstoneuk.com

Size	Valve	Description
		
Agricultural		
15x6.00-6	TR87	BMV
15x6.00-6	TR13	RV
3.50/4.00-8	TR87	BMV
3.50/4.00-8	TR13	RV
16x6.50/7.50-8 18x6.50-8	TR13	RV
18x8.50/9.50-8	TR13	RV
7.00-12	TR13	RV
10.0/80-12	TR15	RV
200/60-14.5	TR15	RV
2.50/3.00-15	TR75A	BMV
29x10.50/12.00-15	TR218A	AWV
31x10.50/11.50-15	TR13	RV
31x15.50-15	TR13	RV
10.0/75-15.3	TR15	RV
11.5/80-15.3	TR15	RV
12.5/80-15.3	TR15	RV
400/60-15.5	TR15	RV
5.00/5.50-16	TR13	RV
5.00/5.50-16	TR15	RV
6.00/6.50-16	TR13	RV
6.00/6.50-16	TR15	RV
7.00/7.50-16	V3.02.7	BMV
7.00/7.50-16	TR13	RV
7.00/7.50-16	TR15	RV
9.00/10.00-16	TR15	RV
10.5/65-16	TR15	RV
10.00/11.00-16	TR15	RV
10-16.5	TR15	RV
12-16.5	TR15	RV
15.0/55-17	TR15	RV
19.0/45-17	TR15	RV
7.00/7.50-18	TR15	RV
10.5/80-18	TR15	RV
12.5/80-18	TR15	RV
12.5/80-18	TR218A	AWV
15.0/70-18	TR15	RV
4.00-19	TR15	RV
6.00-19	TR15	RV
8.00/9.50R20	TR218A	AWV
10.5/80R20	TR15	RV
12.5/80R20	TR15	RV
14.5/80R20	TR15	RV
16.0/70R20 405/70R20	TR15	RV
16.0/70R20 405/70R20	TR218A	AWV
1300x530-533	V3.04.22	BMV
385/65R22.5	VS3.2.1.1	SMV

Size	Valve	Description
400/60-22.5	TR218A	AWV
500/60R22.5	TR218A	AWV
600/50R22.5	TR218A	AWV
8.3/8R24	TR218A	AWV
9.5/9R24	TR218A	AWV
11.2/10R24	TR218A	AWV
12.4/11R24	TR218A	AWV
13.6/12R24	TR218A	AWV
13.6/12R24 Heavy Duty	TR218A	AWV
13.6/14.9R24	TR218A	AWV
14.9/13R24	TR218A	AWV
16.9/14R24	TR218A	AWV
15.5/80R24	TR218A	AWV
21.3R24	TR218A	AWV
15.5-25	TRJ1175C	BMV
23.5-25	TRJ1175C	BMV
14.9/13R26	TR218A	AWV
18.4/15R26	TR218A	AWV
23.1/18R26	TR218A	AWV
28.1-26	TR218A	AWV
600/55-26.5	TR218A	AWV
700/50-26.5	TR218A	AWV
11.2/10R28	TR218A	AWV
12.4/11R28	TR218A	AWV
13.6/12R28	TR218A	AWV
14.9/13R28	TR218A	AWV
16.9/14R28	TR218A	AWV
14.9/15.5R30	TR218A	AWV
16.9/14R30	TR218A	AWV
18.4/15R30	TR218A	AWV
12.4/11R32	TR218A	AWV
24.5R32	TR218A	AWV
30.5R32	TR218A	AWV
16.9/14R34	TR218A	AWV
16.9/14R34 Heavy Duty	TR218A	AWV
18.4/15R34	TR218A	AWV
12.4/11R36	TR218A	AWV
13.6/12R36	TR218A	AWV
12.4/11R38	TR218A	AWV
13.6/12R38	TR218A	AWV
16.9/14R38	TR218A	AWV
18.4/15R38	TR218A	AWV
20.8R38	TR218A	AWV
650/60R38 650/65R38	TR218A	AWV
650/85R38 710/70R38	TR218A	AWV
20.8R42	TR218A	AWV
12.4/11R46	TR218A	AWV
11.2R48	TR218A	AWV

REDWING®

DRIVEN BY SUPERIOR STRENGTH, QUALITY AND VALUE

INNER TUBES



Industry-leading durability, reliability and performance



TR87



TR13



JS2



TR15



TR218A



GP4

Size	Valve	Description
------	-------	-------------



ATV

145/70-6	TR87	BMV
22x10.00/11.00-8	TR13	RV
25x12.00/13.00-9	TR13	RV
20x12.00-10 22x9.50-10 22x11.00-10	GP4	SMV
21x7.00/22x8.00-10	TR13	RV
22x11.00-10	TR13	RV
23x11.00-10 24x9.50/10.50-10		
24x12.00-10	GP4	SMV
23x8.00/24x8.00-11	TR13	RV
24x9.00-11	TR13	RV
24x10.00/25x10.00-11	TR13	RV
24x8.00-12	TR13	RV
25x8.00-12	TR13	RV
25x8.00/10.00-12	GP4	SMV
25x10.00-12	TR13	RV



Car/Van

145R10	TR13	RV
145/155R12	TR13	RV
135/145R13	TR13	RV
155/165R13	TR13	RV
175/185R13	TR13	RV
175/185/195/60R14	TR13	RV
165/175/65R14	TR13	RV
185/195/65R14	TR13	RV
155/165R14	TR13	RV
175/185R14	TR13	RV
195/205R14	TR13	RV
185/195/205/60R15	TR13	RV
185/195/65R15	TR13	RV
195/70R15	TR13	RV
215/235/75R15	TR13	RV
155/165R15	TR13	RV
175/185R15	TR13	RV
195/205R15	TR13	RV
215/225R15	TR13	RV
245/255/265/70R15	TR13	RV

Size	Valve	Description
------	-------	-------------

205/55R16	TR13	RV
185/195/75R16	TR13	RV
215/225/75R16	TR13	RV
175/185R16	TR13	RV
195/205R16	TR13	RV
195/205R16	TR15	RV
215/225/235R16	TR13	RV
245/255/265/70R16	TR13	RV



Construction

10.0/75-15.3	TR15	RV
11.5/80-15.3	TR15	RV
10-16.5	TR15	RV
12-16.5	TR15	RV
10.5/80-18	TR15	RV
12.5/80-18	TR15	RV
12.5/80-18	TR218A	AWV
16.0/70R20 405/70R20	TR15	RV
16.0/70R20 405/70R20	TR218A	AWV
500/60R22.5	TR218A	AWV
15.5/80R24	TR218A	AWV
18.4/15R26	TR218A	AWV



Industrial

5.00-8	JS2	BMV
5.00-8	TR13	RV
6.00-9	TR87	BMV
6.00-9	TR13	RV
6.50-10	JS2	BMV
23x9.00-10	JS2	BMV
7.00-12	JS2	BMV
7.00-12	TR13	RV
27x10.00-12	V3.02.8	BMV
7.00/7.50-15	TR75A	BMV
8.15-15/28x9.00-15/225/75-15	TR177A	BMV
8.25-15	TR75A	BMV
32x12.1-15	TR177A	BMV
7.00/7.50-16	V3.02.7	BMV
8.25-16	TR177A	BMV
9.00-16	TR177A	BMV

REDWING®

DRIVEN BY SUPERIOR STRENGTH, QUALITY AND VALUE

INNER TUBES



Industry-leading durability, reliability and performance



TR87



GP4



TR15



TR218A



JS2

Size	Valve	Description
------	-------	-------------



Motorcycle

2.50/2.75/3.00-10	TR4	SMV
3.00/3.50/4.00-10	JS87C	BMV
3.50/4.00-10 130/90-10	TR4	SMV
3.00/3.25/3.50-12	JS87C	BMV
3.00/3.25/3.50-12 80/100-12	TR4	SMV
3.00/3.25-16 90/100-16 Heavy Duty	TR6	SMV
3.25/3.50/4.00-16	TR4	SMV
5.00/5.10-16 (MT90/16)	TR4	Offset SMV
2.25/2.50-17 70/100-17	TR4	SMV
2.75/3.00/3.25-17	TR4	SMV
4.00/4.50-17 130/80-17	TR4	SMV
4.00/4.50-17 130/80-17 Heavy Duty	TR6	SMV
2.50/2.75/3.00-18	TR4	SMV
3.00/3.25-18 90/90-18 Heavy Duty	TR6	SMV
3.25/3.50-18	TR4	SMV
3.25/3.50-18 100/100-18 Heavy Duty		
Duty	TR6	SMV
3.50/4.00-18 100/110/100-18	TR4	SMV
3.50/4.00-18 110/100-18 Heavy Duty	TR6	SMV
4.00/4.50-18 150/70-18	TR4	SMV
2.00/2.25/2.50-19	TR4	SMV
2.50/2.75/3.00-19 90/90-19	TR4	SMV
3.25/3.50-19 100/90-19 Heavy Duty	TR6	SMV
3.25/3.50/4.00/4.10-19	TR4	SMV
2.75/3.00-21 90/90-21	TR4	SMV
2.75/3.00-21 80/100-21 Heavy Duty	TR6	SMV
2.75/3.00-23	TR4	SMV



Truck

8.25-16	TR177A	BMV
9.00R20	V3.02.11	BMV
10.00R20	V3.06.8	BMV
12.00R20	V3.06.8	BMV
14.00R20	V3.02.14	BMV
12.00R24	V3.06.8	BMV
14.00R24	V3.04.22	BMV

Size	Valve	Description
------	-------	-------------



Turf/Implement

200x50	TR87	BMV
2.50/3.00-4	TR87	BMV
2.50/3.00-4	TR13	RV
3.50/4.00-4 (11x4.00-4)	TR87	BMV
3.50/4.00-4 (11x4.00-4)	TR13	RV
11x7.00-4	TR87	BMV
4.10/3.50-5 (11x4.00-5)	TR87	BMV
4.10/3.50-5 (11x4.00-5)	TR13	RV
3.50/4.00-6	TR87	BMV
3.50/4.00-6	TR13	RV
13x5.00-6	TR87	BMV
13x5.00-6	TR13	RV
15x6.00-6	TR87	BMV
15x6.00-6	TR13	RV
3.50/4.00-7	TR13	RV
2.50/3.00-8	TR13	RV
3.50/4.00-8	TR87	BMV
3.50/4.00-8	TR13	RV
16x6.50/7.50-8 18x6.50-8	TR13	RV
18x8.50/9.50-8	TR13	RV
19x10.50-8	TR13	RV
20x8.00/10.00-8	TR13	RV
22x10.00/11.00-8	TR13	RV
25x12.00/13.00-9	TR13	RV
4.00/4.50-10	TR13	RV
4.50/5.00-10	TR13	RV
18x8.50/10.50-10	TR13	RV
20x8.00/10.00-10	TR13	RV
20x12.00-10 22x9.50-10 22x11.00-10	GP4	SMV
22x11.00-10	TR13	RV
23x11.00-10 24x9.50/10.50-10		
24x12.00-10	GP4	SMV
5.00/6.00-12	TR13	RV
23x8.50/10.50-12	TR13	RV
24x12.00/13.00-12	TR13	RV
26x12.00-12	TR13	RV
26.5x14.00-12	TR13	RV
27x8.50/10.50-15	TR15	RV
29x14.00-15	TR13	RV
31x10.50/11.50-15	TR13	RV
31x15.50-15	TR13	RV



REDWING®

DRIVEN BY SUPERIOR STRENGTH, QUALITY AND VALUE

Our tubes are made from thick, long-lasting rubber for superior tensile strength and reliability.

It's a comprehensive range from a company you can rely on, offering across-the-board coverage and great value for money.

A name you can count on

- ✓ New sizes available for specific fitments
- ✓ Thick rubber construction for superior tensile strength
- ✓ Covering a wide range of markets
- ✓ Heavy duty tubes available
- ✓ Flexibility to supply whichever size and valve you need – just ask



EXCELLENT QUALITY
Challenging the brand leaders



GREAT CHOICE
To fit all the leading manufacturer's machines



SUPERB VALUE FOR MONEY
Class leading tyres without the leading price tag



Redstone (Tyres) Ltd
South Yard, Ford Lane, Arundel
West Sussex BN18 0DF

Place your order on
01243 558959

or email
sales@redstoneuk.com

visit
www.redstoneuk.com



GET IN TOUCH WITH US

Our purpose is always to offer you straightforward, reliable advice and a professional service. So if there's a product you need that we don't stock, or something we can help with, please contact us.

PLACE YOUR ORDER ONLINE

Did you know you can order online and we often have exclusive special offers? Register today, it's quick and easy.